

NO-A165 716

ORGANOPHOSPHAZENES 19 COPOLYMERIZATION OF
2-(2-ETHOXYVINYL)PENTAFLUOROCYC. (U) VERMONT UNIV
BURLINGTON DEPT OF CHEMISTRY C M ALLEN ET AL.


1/1


UNCLASSIFIED

14 MAR 86 TR-1 N00014-85-K-8558

F/G 7/3

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

(12)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Organophosphazenes. 19. Copolymerization of 2-(2-Ethoxyvinyl)pentafluorocyclotriphosphazene with Styrene and Methyl Methacrylate		5. TYPE OF REPORT & PERIOD COVERED Technical Report
6. AUTHOR(s) Christopher W. Allen and Randall P. Bright		7. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of Vermont Burlington, Vermont 05405		9. CONTRACT OR GRANT NUMBER(s) N00014-85-K-0558
10. CONTROLLING OFFICE NAME AND ADDRESS Department of the Navy Office of Naval Research Arlington, VA 22217		11. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. REPORT DATE 3/14/86
		14. NUMBER OF PAGES 14
		15. SECURITY CLASS. (of this report) unclassified
		16. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of this Report) Approved for public release and sale; its distribution is unlimited		
18. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
19. SUPPLEMENTARY NOTES Accepted for publication in macromolecules		
20. KEY WORDS (Continue on reverse side if necessary and identify by block number) cyclophosphazenes copolymerization reactivity ratios flame retardant		
21. ABSTRACT (Continue on reverse side if necessary and identify by block number) The novel cyclophosphazene, 2-(2-ethoxyvinyl)pentafluorocyclotriphosphazene ($(N_3P_3F_5C(OC_2H_5)=CH_2)_2$) undergoes radical copolymerization with styrene and methyl methacrylate. The styrene system was examined in detail with flame retardant copolymers having up to 43.7% phosphazene content being obtained. Reactivity ratios for the styrene-ethoxyvinylphosphazene copolymerization have been calculated by several methods. An examination of the Alfrey-Price parameters for the phosphazene indicates that the major perturbation of the olefinic center is (continued on reverse, block 22a)		

DTIC
ELECTE
MAR 25 1986
S D

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AD-A165 716

DTIC FILE COPY

22a.

CONTY

SIO

through the σ electron withdrawing effect of the phosphazene. The copolymer molecular weights decrease with increasing phosphazene content. The thermal decomposition of the copolymers is a two step process with the phosphazene being involved in the first step.

OFFICE OF NAVAL RESEARCH
Contract N00014-85-K-0558
Task No. NR413C012/01
TECHNICAL REPORT NO. 1

Organophosphazenes. 19. Copolymerization of 2-(2-Ethoxyvinyl)penta-
fluorocyclotriphosphazene with Styrene and Methyl Methacrylate

by

Christopher W. Allen and Randall P. Bright

Accepted for Publication
in
Macromolecules

University of Vermont
Department of Chemistry
Burlington, VT 05405

March 14, 1986

Reproduction in whole or in part is permitted for
any purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited

Organophosphazenes. 19. Copolymerization of 2-(2-Ethoxyvinyl)pentafluorocyclotriphosphazene with Styrene and Methyl Methacrylate¹

Christopher W. Allen* and Randall P. Bright

Department of Chemistry, University of Vermont
Burlington, Vermont 05405. Received

ABSTRACT: The novel cyclophosphazene, 2-(2-ethoxyvinyl)pentafluorocyclotriphosphazene ($N_3P_3F_5C(OC_2H_5)=CH_2$) undergoes radical copolymerization with styrene and methyl methacrylate. The styrene system was examined in detail with flame retardant copolymers having up to 43.7% phosphazene content being obtained. Reactivity ratios for the styrene-ethoxyvinylphosphazene copolymerization have been calculated by several methods. An examination of the Alfrey-Price parameters for the phosphazene indicates that the major perturbation of the olefinic center is through the σ electron withdrawing effect of the phosphazene. The copolymer molecular weights decrease with increasing phosphazene content. The thermal decomposition of the copolymers is a two step process with the phosphazene being involved in the first step.

Introduction

Recent work in our laboratories has been devoted to the synthesis and reactions of organofunctional phosphazenes.² Of particular interest is the preparation of polymeric systems derived from organofunctional phosphazene monomers.²⁻⁴ We originally demonstrated the feasibility of such an approach by reporting the copolymerization of 2-(2-propenyl)pentafluorocyclotriphosphazene,



Dist	Special	or
A-1		

$\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{CH}_3)=\text{CH}_2$, with styrene and vinyl benzyl chloride.³ These copolymers met our initial criteria of being hybrid organic-inorganic polymers, exhibiting significant flame retardant behavior³ and having a functionalized surface due to the presence of the halophosphazene.⁴ There are, however, problems with the inorganic monomer which are related to the polarity induced in the olefin by the highly electron withdrawing⁵⁻⁷ phosphazene substituent. The olefin polarity causes difficulties in the preparation of the monomer^{8,9} and favors termination in copolymerization reactions.³ We have recently reported the preparation of a new alkenylphosphazene monomer system derived from vinyl ethers in which it was proposed that the electron donor effect of the alkoxy group towards the olefin would counterbalance the electron withdrawing effect of the phosphazene.^{9,10} This expectation was realized in the synthesis of the monomer. This paper reports the copolymerization behavior of the 2-(2-ethoxyvinyl)pentafluorocyclo-triphosphazene, $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OC}_2\text{H}_5)=\text{CH}_2$, monomer.

Experimental

Materials. Hexachlorocyclo-triphosphazene (Ethyl Corp.) was converted to hexafluorocyclo-triphosphazene¹¹ which in turn was converted to (2-ethoxyvinyl)pentafluorocyclo-triphosphazene¹⁰ by previously reported procedures. Styrene (Aldrich) was dried over P_2O_5 , distilled and stored in a sealed, dark bottle over nitrogen at 0°C. Prior to use, a small amount of styrene was added to methanol. If the solution remained clear, it was assumed that no spontaneous polymerization had occurred. Methyl methacrylate (Aldrich) was purified in a manner identical to that used for styrene. Azobisisobutyronitrile, AIBN, (Aldrich) was recrystallized from ethanol/water. All other reagents and solvents were obtained from standard sources and used as received.

Measurements. Infrared spectra were obtained as KBr pellets using a Nicolet

6000 FT-IR spectrophotometer. Gel permeation chromatography was performed on a Waters A.V.C. 202 high pressure liquid chromatograph equipped with Waters 10^3\AA and 10^4\AA microstyragel columns using toluene as the eluting solvent. The columns were calibrated with polystyrene standards (Waters). Thermal analyses were recorded on a DuPont 900/950 Thermal Analyzer with the sample in He flow atmosphere and a $10^\circ\text{C}/\text{min}$ heating rate. Membrane osmometric data was obtained on WESCAN Model 230 Recording Membrane Osmometer using toluene as the solvent. Data at four concentrations (1.02 to 3.36 g/l) were extrapolated to infinite dilution. Vapor pressure osmometry was performed by Schwartzkopf Microanalytical Laboratory. Elemental analyses were performed by Integral Microanalytical Laboratories. Reactivity ratios were calculated using both linear (Fineman-Ross¹² and Kelen-Tudos¹³) methods with least squares best fits of the data and the Mortimer-Tidwell non-linear least squares approach.¹⁴

Copolymerization of (2-ethoxyvinyl)pentafluorocyclotriphosphazene and styrene. Styrene and freshly distilled ($25\text{--}30^\circ\text{C}$; 0.02 mmHg) $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OC}_2\text{H}_5)=\text{CH}_2$ in various mole ratios were placed in a thick walled reaction tube along with 2% AIBN. The reaction tube was sealed with a septum and flushed with nitrogen for 15 minutes through an exit needle. The tube was then placed in a constant temperature bath ($57^\circ\text{C} \pm 1^\circ\text{C}$) for 18 hours. Several polymerizations to be used in reactivity ratio calculations were run limiting the % conversion. The polymerization times for these reactions were thus decreased to between 2 and 4 hours. At the end of this time period, the reaction was halted by opening the reaction vessel, and adding 5-10 ml. methylene chloride. The solution was filtered to remove any insoluble material, and then added dropwise to a stirred solution of 250 ml. methanol. The copolymer precipitates as a white powdery product. After filtration, the polymer was dissolved in methylene chloride, reprecipitated and

dried in vacuo. The composition yield and molecular weight data for these copolymers are given in Table I.

Copolymerization of (2-ethoxyvinyl)pentafluorocyclotriphosphazene and methyl methacrylate.

The methyl methacrylate (MMA) was purified in an identical manner to styrene. Reaction conditions and workup procedures utilized were identical to that described for the styrene copolymerizations. An equal molar mixture of MMA and $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OC}_2\text{H}_5) = \text{CH}_2$ was polymerized to 6.77% conversion, and produced a copolymer which had a composition ($\text{MMA}/\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OC}_2\text{H}_5) = \text{CH}_2$) of 3.15.

Attempted Homopolymerization of (2-ethoxyvinyl)pentafluorocyclotriphosphazene.


Numerous attempts were made at homopolymerization of $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OC}_2\text{H}_5) = \text{CH}_2$ using radical (AIBN, benzoyl peroxide), redox ($(\text{NH}_4)_2\text{Fe}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}/\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}^{15}$), anionic (KHCO_3 , $t\text{-C}_4\text{H}_9\text{Li}$) and cationic [$\text{BF}_3 \cdot \text{O}(\text{C}_2\text{H}_5)_2$, H_2SO_4] initiators. The radical systems appeared to give trace amounts of oligomers while all other catalysts did not effect any polymerization.

Results and Discussion

As was the case with (2-propenyl)pentafluorocyclotriphosphazene³, homopolymerization of (2-ethoxyvinyl)pentafluorocyclophosphazene (I) was not observed. This may be ascribed to a combination of the reluctance of 1,1-disubstituted olefins to undergo homopolymerization and the strong electron withdrawing nature of the $\text{N}_3\text{P}_3\text{F}_5$ moiety.^{5,6} In principle, the electron withdrawing substituent should favor anionic initiation, however, the anionic catalyst may be captured at the P(V) site rather than at the olefinic center.

Copolymerization reactions involving I procede readily and the system

styrene-I was examined in detail. Infrared data show the retention of aromatic



$$x = 0.41 \text{ to } 7.22$$

$$y = 0.04 \text{ to } 0.77$$

and phosphazene bonds and the absence of all olefinic absorptions in the copolymers. The compositional, conversion and molecular weight data for the new copolymers are shown in Table I. It should be noted that reactions 1-6 were stopped at low conversions. This was necessary for certain of the calculations of reactivity ratios. The copolymers are white, powdery substances, which dissolve in methylene chloride, toluene, benzene, tetrahydrofuran, diethyl ether, and acetone. They are stable to air, and dilute acid or base. The copolymers were also found to be flame retardant in simple flame tests.

The styrene-I copolymers may be compared to the previously reported³ styrene- $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{CH}_3)=\text{CH}_2$ system. The maximum phosphazene incorporation in the propenylphosphazene series was 36.7 mole % which was achieved with feed ratio (styrene:phosphazene) of 4:1. The maximum incorporation of I is 43.7 mole % which was achieved with a 2.44:1 feed ratio. Feed ratios which are higher in I do not undergo polymerization. The higher incorporation of I compared to the propenyl analog indicates a significant difference in the vinylphosphazene reactivity in these two systems and is consistent with our proposal of reduction of olefin polarity by a counterbalancing of the electron withdrawing effect of the phosphazene with the donor effect of the alkoxy group.

In order to provide a more thorough examination of the reactivity of I, we have calculated the reactivity ratios (r_1 and r_2) for the styrene-I system. These data, calculated by three different methods, may be found in Table II.

In comparing the three methods, it is observed that all give similar results with the results of both of the linearization methods falling within the 95% joint confidence limits of the Mortimer-Tidwell calculation. Since it is expected that the Mortimer-Tidwell approach will give the most reliable data¹⁴, those values of r_1 and r_2 were used to calculate the Alfrey-Price parameters¹⁶ with values of $Q=0.18$ and $e=-0.06$ being obtained. It is apparent upon comparison of the reactivity ratios of styrene (M_1)-ethylvinyl ether (M_2) ($r_1=80$, $r_2=0$)¹⁷ to those of the styrene-I system that the olefinic center in I does not behave as a typical vinyl ether. The addition of a bulky group such as the phosphazene ring to the vinyl ether might be expected to offer some steric inhibition to copolymerization so the observed increase in activity indicates that the electronic structure of the vinyl ether is significantly perturbed by the $N_3P_3F_5$ moiety. Similar conclusions were drawn from the nmr data on I.¹⁰ Some insight into the mechanism of modification of the olefin electronic structure can be gained from a comparison of the Q and e values for I to those for related monomers.¹⁷ The Q value of I lies in the general range of those observed for vinyl ethers thus indicating no major mesomeric interaction between the phosphazene and the olefin. The reluctance of the phosphazene unit to enter into significant conjugative interactions with unsaturated organic moieties has been previously noted.⁶ The approximate nature of the Q , e data does not prohibit small amounts of mesomeric interactions occurring in I such as has been claimed in other organophosphazenes.^{7,18} The e value for I is quite different from those typically found for vinyl ethers and this difference may be ascribed to the reduction of the electron rich nature of the vinyl ether by the strong σ electron withdrawing effect of the phosphazene moiety.

If the Q and e values for I are combined with the literature¹⁷ values for methyl methacrylate (MMA), the reactivity ratios for the MMA-I copolymerization

may be calculated. For an equimolar copolymerization of MMA and I, the copolymer composition calculated from the reactivity ratios and the copolymer equation is $(\text{MMA})_{3.5}(\text{I})_1$ which is in reasonable agreement (given the nature of the data) with the observed composition of $(\text{MMA})_{3.15}(\text{I})_1$.

The reactivity ratios of the styrene-I system show that a styryl radical has a greater tendency to add to styrene than to I. Using a value of 165 l/mole-sec for the styrene homopropagation rate constant (k_{11}),¹⁹ we can estimate (from r_1) a value of k_{12} of 54.3 l/mole-sec, i.e. roughly a three-fold preference for styrene homo vs. cross propagation. The reluctance of I to undergo homopolymerization, suggests that the homopropagation rate constant of I, k_{22} , is diminishingly small. To get a value of r_2 of 0.19, the rate constant for the addition of the radical of I to styrene (k_{21}) must be large. The combination of large values of k_{11} and k_{21} lead to copolymers which are rich in styrene.

Molecular weight data for the styrene-I copolymers may be found in Table I. The membrane osmometry data is significantly higher than the gel permeation chromatography (gpc) data. If the gpc data is close to the true value, then the osmometric data would be artificially high due to diffusion of low molecular weight fragments across the membrane. Alternatively, polystyrene may not be a good gpc calibrant for the styrene-I copolymers. A low molecular weight polymer was selected for study by vapor phase osmometry and it was found that the molecular weight was higher than the gpc value in roughly the same ratio as the membrane osmometry to gpc data. It appears that the gpc values are uniformly low and that the true values are closer to those obtained by the absolute methods. One possible explanation for the low gpc values would be electrostatic attraction between the phosphazene and phenyl rings resulting in a reduction in size of the copolymer over the expected average dimensions of an unperturbed chain. The general trend in molecular weights is similar to that observed for the

styrene-propenylphosphazene copolymers, i.e. a reduction in molecular weight with increased phosphazene content. The high reactivity and low homopropagation rate of the phosphazene radical would result in increased occurrence of termination steps with increased amounts of phosphazene in the system.

The TGA data for thermal decomposition of the styrene-I copolymers are found in Table III. In each case, the decomposition is, at least, a two step process with a typical TGA scan shown in Figure 1. There is a correlation between the % weight loss in the first step and the weight % of I in the copolymer. Given this observation, it is reasonable to assume that the first stage of decomposition involves the ethoxyvinylphosphazene region of the copolymer. There is also a lowering of the onset temperature for decomposition and the temperature required for 50% weight loss with increasing phosphazene content. These observations also suggest that the incorporation of I contributes to the destabilization of the copolymer to thermal decomposition. It is of interest to note the lower thermal stability of the ethoxyvinyl- compared to propenylphosphazene³ copolymers.

In summary, we have developed a new series of novel copolymers involving a vinyl phosphazene and traditional organic monomers. Significant alterations of copolymerization behavior of vinylphosphazene monomers may be effected by the nature of the substituent on the olefinic center. The nature of the effect of the phosphazene on the vinyl ether center in I has been elucidated by a consideration of the Q and e values for this system.

Acknowledgements. We wish to thank Dr. G.A. Stahl of Phillips Petroleum Co. for a copy of the Mortimer-Tidwell program and Mr. D.E. Brown for adapting it to our computer. This work was supported, in part, by the Office of Naval Research.

References

- (1) Part 18. Allen, C.W.; Bedell, S.; Cordes, W.A.; Pennington, W.T. Inorg. Chem. 1985, 24, 1653.
- (2) Allen, C.W. J. Polym. Sci. Polym. Symposia 1983, 70, 79.
- (3) Dupont, J.G.; Allen, C.W. Macromolecules 1979, 12, 169.
- (4) Allen, C.W.; Dupont, J.G. Ind. Eng. Chem. Prod. Res. Dev. 1979, 18, 80.
- (5) Allen, E.W. J. Organometallic Chem. 1977, 125, 215.
- (6) Allen, C.W.; Green, J.C. Inorg. Chem. 1980, 19, 1719.
- (7) Harris, P.J.; Williams, K.B.; Fisher, B.L. J. Org. Chem. 1984, 49, 406.
- (8) Dupont, J.G.; Allen, C.W. Inorg. Chem. 1978, 17, 3093.
- (9) Allen, C.W.; Bright, R.P.; Ramachandran, K. "ACS Symp. Ser. No. 171", Quinn, L.D.; Verkade, J.G., Eds.; Amer. Chem. Soc.: Washington, D.C., 1981, p. 321.
- (10) Allen, C.W.; Bright, R.P. Inorg. Chem 1983, 22, 1291.
- (11) Moeller, T.; John, K.; Tsang, F. Chem. Ind. (London) 1961, 347.
- (12) Fineman, M.; Ross, S. J. Poly. Sci. 1950, 5, 259.
- (13) Tüdös, F.; Kelen, T.; Földes-Berenzwich, F.; Turcsanyi, B. J. Macromol. Sci. Chem., 1976, A10, 1513. (b) Tüdös, F.; Kelen, T. Ibid, 1975, A9, 1. (c) Tüdös, F.; Kelen, T. Reaction Kin. Cat. Letters, 1974, 1, 487.
- (14) Tidwell, P.W.; Mortimer, G.A. J. Poly. Sci. A-1, 1965, 3, 369. (b) Tidwell, P.W.; Mortimer, G.A. J. Macromol. Sci. Macromol. Chem. Rev., 1970, 4, 281.
- (15) Marvel, C.S.; Deanin, R.; Overberger, C.G.; Kuhn, B.M. J. Poly. Sci., 1948, 3, 128.
- (16) Alfrey Jr., T.; Young, L.J. "Copolymerization", 2nd ed; Ham, G.E., Ed.; Wiley; New York, 1971.

- (17) Young, L.J. "Polymer Handbok", 2nd ed; Brandrup, J., Immergut, E.H., Eds.; Wiley: New York, 1975; Chapter II.
- (18) Krishnamurthy, S.S.; Ramabraman, P.; Woods, M. Org. Magn. Reson., 1981, 15, 205.
- (19) Odian, G. "Principles of Polymerization", 2nd Ed; Wiley: New York, 1981, p. 258.

Table I

Composition, Yield and Molecular Weight Data^a for Styrene(II)-Ethoxyvinylpentafluorocyclotriphosphazene(I) Copolymers

Run	Feed Ratio (I/II)	Product Ratio ^b (I/II)	Reaction Time (hrs)	% Conversion (Wt)	\bar{M}_n	\bar{M}_w	\bar{M}_w/\bar{M}_n
1	7.22	24.22	2	11.4	10.6K ^c 36.1K ^c	70.7K	6.67
2	5.78	20.64	2	12.0	9.8K ^c 31.0K ^c	55.0K	5.63
3	4.82	15.69	2	9.4	10.0K	71.2K	7.15
4	3.85	13.64	2	8.0	8.7K	33.4K	3.83
5	2.89	9.11	2	7.5	6.4K	56.1K	8.79
6	.99	3.62	4	1.8	-	-	-
7	2.94	5.78	18	61.3	6.9K	15.0K	2.18
8	2.02	4.20	18	55.4	3.2K	7.8K	2.48
9	2.00	3.94	18	52.7	2.3K	6.6K	2.91
10	1.00	2.80	18	35.0	1.6K ^d 5.9K ^d	4.2K	2.55
11	.80	2.06	18	22.4	2.4K	3.3K	1.36
12	.41	1.30	18	18.0	3.8K	6.5K	1.74
13	.25	---	18	0.0			

^aMolecular weights measured by gel permeating chromatography, except where indicated.

^bAs determined from weight percent nitrogen.

^cMembrane Osmometry.

^dVapor Pressure Osmometry.

Table II
 Reactivity Ratios for Styrene-Ethoxyvinylpentafluoro-
 cyclotriphosphazene Copolymerization Reaction

<u>Method</u>	<u>r_1^a</u>	<u>r_2^b</u>
Fineman-Ross	3.40	0.30
Kelen-Tüdös	3.56	0.28
Mortimer-Tidwell	3.04	0.19

^a M_1 =Styrene

^b $M_2=N_3P_3F_5C(OC_2H_5)=CH_2$

Table III

TGA Data for Styrene-Ethoxyvinylpentafluorocyclotriphosphazene Copolymers

<u>Wt % Phosphazene in Copolymer</u>	<u>Weight loss range</u>	<u>% Wt. loss first step</u>	<u>T₅₀ (°C)</u>
33.4	205-280	24.4	350
40.8	200-280	30.3	350
42.5	200-290	28.3	355
50.8	190-270	39.3	320
69.2	180-260	46.7	315




Figure 1. A Typical TGA Scan for Styrene-Ethoxyvinylpentafluorocyclotriphosphazene Copolymers.

END
FILMED

4-86

DTIC